# #DARETOEXPLORE







# #DARETOEXPLORE WITH HIGHFIELD...

With around 46,000 boats delivered globally since the brand's beginning in 2011, Highfield Boats is now the world's number one in the RIB tender sector and a global player in the 5 metre + sector.

Performance and strength have always been at Highfield's core. The brand has focussed on these two key values above anything else. Highfield's hulls are dry-riding, very seaworthy and always over-built. Their reputation for durability is now world-renowned. The heavy-duty approach to design and build allows both leisure and commercial owners to have the confidence needed to go that extra mile and to tackle conditions avoided by many others.

As such, Highfield has been chosen time and again as the support boat of choice for prestigious events worldwide, with fleets up to 50 strong. From Vendee Globe to the Invictus Games, Pan Am Games, Extreme Sailing Series, ORC Championships, TP52 & The Route Du Rhum. Not only is this trust shown in Highfield's larger RIBs, but in their tenders too. Tender supply contracts to the likes of Lagoon paved the way for Highfield to become the supplier of choice for many charter operators, rental fleets and other high-end shipyards such as Fountaine Pajot, Outremer and Leopard.

Sustainability is also a huge part of Highfield's DNA. All of the hulls and structures are built in aluminium, which is infinitely recyclable. In addition, Highfield powder coat in an enclosed area to ensure that their footprint remains low from the beginning of the manufacturing process through to the end of each product's life.

With now over 45 distributor countries and a worldwide dealer network, you can be confident any support you need will always be on hand.



# CONTENTS -

Brand Timeline	4
Ultralite Range	
Classic Range Overview	7
Classic 260 & 290	
Classic 310 & 340	9
Classic 360 & 380	
Classic Console Options	
Classic 420 & 460	
Sport Range Overview	
Sport 300, 330 & 360	
Sport 390, 420 & 460	
Sport 520	
<b>Sport 560</b>	
Sport 600	
<b>Sport 660</b>	
Sport 700	
<b>Sport 760</b>	
<b>Sport 900</b>	
Patrol Range Overview	
Patrol 420 & 460	
Patrol 500	
Patrol 540	
Patrol 600	
Patrol 660	
Patrol 700	
Patrol 760	
Patrol 860	
Render Bank / Colour Schemes	32-33







# T H E


Itralite Range are single deck dinghies, created always keeping weight in mind. Their light weight make them


a real alternative for those who may have chosen a soft bottom tender in the past but would prefer a hard hull for its performance.a

Ultralite tenders are roomy and strong, yet light and easy to transport. These little boats can be launched and recovered by a single man and are easy to be transported on a roof rack. The Ultralite's are made of 2.5mm thick powder coated marine grade aluminium for the hull and 1100 Dtex fabric for the inflatable tube.

## BECAUSE WEIGHT DOES MATTER

# ULTRALITE RANGE





<sup>\*</sup> larger tube diameters available \*\* boat only





### THE

lassic Range offers extra levels of comfort in this double deck hulled dinghy that will keep your feet dry. The hulls of the Classics are built of 2.5mm thick pow-


der coated marine grade aluminium. The tubes are made of 1100 dtex coated fabric.

The high quality finish and luxury look belies the fact that this range of tenders has been designed to work hard. A durable aluminium hull coupled with full length keel guards make these ideal for those beach-hopping days with friends and family.

The optional FCT console or GT console options allow forward steering control for increased comfort and greater ease of navigation. These options offer a more luxurious tender experience whilst still keeping the weight down.

The large weight savings achieved compared to equivalent GRP tenders means you'll enjoy impressive performance with smaller engines. All of this combined with excellent payload capacities means the Classic range really does offer a tender for everyone.

**CLASSIC** 260 & 290





**STANDARD FEATURES**ORCA® Hypalon or PVC tube
Welded seams (PVC) Flush mount non-return valves High tensile chromated & powder coated aluminum hull Bow locker (Fit 24L fuel tank) Integrated transom supports Removable seat Lifting points and towing eyes Tow bridle points

Brushed foam teak finish deck Heavy duty rubbing strake
Full length keel guard Tank strap kit Under seat bag Highfield dry bag Foot pump, oars, repair kit

### **OPTIONAL EXTRAS**

FRP Bow Step Molded bow cleat Bow cushion Boat cover

### (OLOVR SCHEMES




(L290

OVERALL LENGTH	260cm	8′6″	290cm	9′6
INTERNAL LENGTH	176cm	5′9″	206cm	6′9″
OVERALL WIDTH	170cm	5′7″	170cm	5′7″
INTERNAL WIDTH	79cm	2′7″	79cm	2′7″
DEADRISE	15	5°	1:	5°
TUBE DIAMETER	44cm	17"	44cm	17"
NUMBER OF AIR CHAMBERS	3	3 3		3
MAXIMUM LOAD	360kg	794lbs	480kg	1058lbs
MAXIMUM PEOPLE	3+	- 1	4	1
BOAT WEIGHT*	54kg	119lbs	59kg	130lbs
MAXIMUM POWER	15hp		20	hp
ENGINE SHAFT	S		(	5
DESIGN CATEGORY	C		(	



CLASSIC 310 & 340





HIGHFIELD

ORCA® Hypalon or PVC tube
Welded seams (PVC)
Flush mount non-return valves
High tensile chromated & powder coated aluminum hull
Bow locker (Fit 24L fuel tank)
Integrated transom supports
Removable seat

Lifting points and towing eyes
Tow bridle points
Brushed foam teak finish deck
Heavy duty rubbing strake
Full length keel guard
Tank strap kit
Under seat bag
Highfield dry bag
Foot pump, oars, repair kit

### **OPTIONAL EXTRAS**

Console Options

FRP Bow Step Molded bow cleat Bow cushion Boat cover





	()10		<u>``</u>	/ <del>1</del> °
OVERALL LENGTH	310cm	10′2″	340cm	11′2″
INTERNAL LENGTH	226cm	7′5″	247cm	8′1″
OVERALL WIDTH	170cm	5′7″	170cm	5′7″
INTERNAL WIDTH	79cm	2′7″	79cm	2′7″
DEADRISE	15°		15°	
TUBE DIAMETER	44cm	17"	44cm	17"
NUMBER OF AIR CHAMBERS	3	3	3	
MAXIMUM LOAD	550kg	1213lbs	551kg	1215lbs
MAXIMUM PEOPLE	5		(	5
BOAT WEIGHT**	62kg	137lbs	71kgs	157lbs
MAXIMUM POWER	20hp		25	hp
ENGINE SHAFT	(	5	:	5
DESIGN CATEGORY	(		(	2

\*\* boat only









**STANDARD FEATURES** ORCA® Hypalon or PVC tube Welded seams (PVC) Flush mount non-return valves High tensile chromated & powder coated aluminum hull Bow locker (Fit 24L fuel tank)
Integrated transom supports Removable seat Lifting points and towing eyes Tow bridle points

\* boat only

Brushed foam teak finish deck Heavy duty rubbing strake Full length keel guard Tank strap kit Under seat bag Highfield dry bag
Foot pump, oars, repair kit

### **OPTIONAL EXTRAS**

FRP Bow Step Molded bow cleat Bow cushion Boat cover

### (OLOVR SCHEMES



(L380

OVERALL LENGTH	360cm	11′10″	380cm	12′6″	
INTERNAL LENGTH	267cm	8′9″	287cm	9′5″	
OVERALL WIDTH	170cm	5′7″	170cm	5′7″	
INTERNAL WIDTH	79cm	2′7″	79cm	2′7″	
DEADRISE	15°		1:	5°	
TUBE DIAMETER	44cm	17"	44cm	17"	
NUMBER OF AIR CHAMBERS	3	3		3	
MAXIMUM LOAD	561kg	1237lbs	637kg	1404lbs	
MAXIMUM PEOPLE	ć	5	7	7	
BOAT WEIGHT*	75kg	165lbs	83kg	183lbs	
MAXIMUM POWER	30hp		30	hp	
ENGINE SHAFT	S		(	5	
DESIGN CATEGORY	(		(		













The FCT7 console package is a perfect addition to any Classic 310 up to Classic 380 model giving you an additional level of comfort and enjoyability for your day on the water. The rear bench seat with high backrest and closed cell foam cushions which won't hold water, are perfect for a comfortable day exploring. The console helm is an open style design giving you unprecedented legroom in a boat of its size while a carbon dash with LED switches and branded steering wheel add a dash of style. An electrical package including led flush mounted switch panel, navigation lights and bilge pump are all standard.


WEIGHT: 36kg / 80lbs (APA(ITY: 1001 / 3.5 cu ft



The NEW "Grand Tour" GT version console option combines lightweight and performance of the Classic line but with more comfort and styling from the luxury Sport boats for a perfect combination of releability and styling. The Classic GT is available for CL340 and up, turning the Classic into an easy handling runabout, perfect for having fun when you've anchored for lunch.

(ONSOLE WEIGHT: 25.5kg / 56lbs FOLDING SEAT WEIGHT: 20kg / 45lbs





### STANDARD FEATURES

ORCA® Hypalon or PVC tube Welded seams (PVC) Flush mount non-return valves

High tensile chromated & powder coated aluminum hull

Self-draining deck Bow locker

Console & Seat Carbon dash for console

FRP Bow Step & bow cushion Integrated transom supports Litting points and towing eyes Tow bridle points

Brushed foam teak finish deck Heavy duty rubbing strake Full length keel guard Tank strap kit Highfield dry bag

Foot pump, oars, repair kit Electrical packs for boat & console

### **OPTIONAL EXTRAS**

Boat cover

\* boat only

### (OLOUR SCHEMES



	•	!-	٠.	1
OVERALL LENGTH	421cm	13′10″	461cm	15′2″
INTERNAL LENGTH	317cm	10′5″	361cm	11′10″
OVERALL WIDTH	210cm	6′11″	209cm	6′10″
INTERNAL WIDTH	105cm	3′5″	108cm	3′7″
DEADRISE	20	)°	20	O°
TUBE DIAMETER	47cm	19"	47cm	19"
NUMBER OF AIR CHAMBERS	۷	1	Ę	5
MAXIMUM LOAD	823kg	1814lbs	944kg	2081lbs
MAXIMUM PEOPLE	3	3	ç	?
BOAT WEIGHT*	204kg	450lbs	227kg	500lbs
MAXIMUM POWER	60hp		80	hp
ENGINE SHAFT	L		l	-
FUEL TANK (LITRES)	40	Ol	4	01
DESIGN CATEGORY	(		(	2





### THE

5

port range of high quality boats offers a choice from 3 metres up to 9 metres and combines all of our hull design expertise with an interior that you demand.


Nothing has been sacrificed in the design of this range. Top quality materials are the hallmark of what we do and we have not compromised. Hull deadrise angles ranging from 20 degrees on the 3 metre going through to a huge 26 degrees on the 600 and up will give you assurance in the toughest conditions.

The additions such as EVA teak throughout, integrated fuel tanks, superb diamond stitched upholstery and bathingplatforms on our larger models will allow you to enjoy each day to the maximum.

With the impermeable qualities of our aluminium hulls there's no need to worry about gelcoat chips, or putting the boat on a beach or trailer. All Highfield Sport RIBs are easy to tow, launch and recover due to their light weight and integrated davit lifting eyes. Your Sport will not delaminate or absorb water over time, retaining the same agile performance in 10 years time as the day you collected it.

The Highfield Boats Sport range offers the very best solution for your requirement. Low weight garage tender or runabout, through to an offshore mile crunching cruiser.

**SPORT** 300-360





- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
   Integrated rear seat with cushion

- Integrated transom supports
   Lifting points and towing eyes
   Brushed foam teak finish deck
   Heavy duty rubbing strake
   Keel guard
   Highfield dry bag

- Foot pump, oars, repair kit
- Electrical pack for boat & console Carbon dash for console

### **OPTIONAL EXTRAS**


- Boat cover Sundeck (330 up) Tow post (330 up)

	SP30	00	SP:	330	SP3	60
OVERALL LENGTH	300cm	9′10″	336cm	11′	362cm	11'11"
INTERNAL LENGTH	180cm	5′11″	204cm	6′8″	236cm	7′9″
OVERALL WIDTH	183cm	6′	182cm	6′	184cm	6′
INTERNAL WIDTH	84cm	2′9″	90cm	2′11″	92cm	3′
DEADRISE	20°		20	0°	20°	
TUBE DIAMETER	43cm	17"	43cm	17"	43cm	17"
NUMBER OF AIR CHAMPERS	_	`	,	3	,	3
NUMBER OF AIR CHAMBERS	3	5	٠	)		)
MAXIMUM LOAD	464kg	1023lbs	549kg	1211lbs	634kg	1398lbs
		1023lbs		1211lbs		1398lbs
MAXIMUM LOAD	464kg	1023lbs	549kg	1211lbs	634kg	1398lbs
MAXIMUM LOAD MAXIMUM PEOPLE	464kg	1023lbs 4 385lbs	549kg	1211lbs 5 439lbs	634kg 6 215kg	1398lbs
MAXIMUM PEOPLE BOAT WEIGHT	464kg 2 175kg	1023lbs 4 385lbs	549kg 5 199kg	1211lbs 5 439lbs	634kg 6 215kg	1398lbs 3 473lbs

(OLOUR SCHEMES HIGHFIELD TRUE LIGHTWEIGHT LUXURY. OUR SMALLEST SPORT MODELS MAKE THE IDEAL TENDER, SMALL ENOUGH TO SIT ON THE BACK OF MOST CRUISERS. SMALL AND NIMBLE, BUT WITH ENOUGH ROM TO CARRY EVERYTHING YOU NEED FOR A DAY ON THE WATER.



# **SPORT** 390-460





### STANDARD FEATURES

- ORCA® Hypalon or PVC tube
   Welded seams (PVC)
   Flush mount non-return valves
- Flush mount non-return valves
   High tensile chromated &
   powder coated aluminum hull
   Self-draining deck (SP420 up)
   Integrated rear seat with cushion

- Integrated transom supports
   Lifting points and towing eyes
   Brushed foam teak finish deck
   Heavy duty rubbing strake
   Keel guard
   Highfield dry bag
   Foot pump & repair kit
   Electrical pack for boat & console

### - Carbon dash for console **OPTIONAL EXTRAS**

- Boat cover

- Sundeck Tow post Roll bar
- Forward arch


390	SP420	SP46

OVERALL LENGTH	390cm	12′10″	424cm	13′11″	460cm	15′1″
INTERNAL LENGTH	250cm	8′2″	272cm	8′11″	291cm	9′7″
OVERALL WIDTH	192cm	6′4″	205cm	6′9″	209cm	6′10″
INTERNAL WIDTH	92cm	3′	108cm	3′7″	108cm	3′7″
DEADRISE	20°		20	0°	2	0°
TUBE DIAMETER	47cm	19″	47cm	19″	47cm	19″
NUMBER OF AIR CHAMBERS	3	3	4		5	
MAXIMUM LOAD	716kg	1579lbs	791kg	1744lbs	912kg	2011lbs
MAXIMUM PEOPLE	7		8		9	
BOAT WEIGHT*	226kg	497lbs	309kg	6811bs	332kg	731lbs
MAXIMUM POWER	60hp		70hp		90hp	
ENGINE SHAFT	ι	-	L		L	
FUEL TANK (LITRES)	3(	Ol	5:	5l	5	5l









### STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC) Flush mount non-return valves

- High tensile chromated & powder coated aluminum hull
- Self-draining deck

- Seit-araining deck
   Integrated rear seat with cushion
   Integrated transom supports
   Lifting points and towing eyes
- Brushed foam teak finish deck
- Heavy duty rubbing strake

- Reavy duty rubbing strake

   Keel guard

   Highfield dry bag

   Foot pump & repair kit

   Electrical pack for boat & console

   Carbon dash for console
- Platform with ladder (520)

### **OPTIONAL EXTRAS**

- Boat cover
- Sundeck
- Tow post
- Roll bar
- Forward arch


\* boat & console only

### (OLOUR SCHEMES



OVERALL LENGTH	523cm	17′2″	
INTERNAL LENGTH	343cm	11′3″	
OVERALL WIDTH	246cm	8′1″	
INTERNAL WIDTH	130cm	4′3″	
DEADRISE	24°		
TUBE DIAMETER	52cm	20″	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1058kg	2332lbs	
MAXIMUM PEOPLE	10		
BOAT WEIGHT*	516kg	1136lbs	
MAXIMUM POWER	100hp		
ENGINE SHAFT	L		
FUEL TANK (LITRES)	10	51	





### **STANDARD FEATURES**

- ORCA® Hypalon or PVC tube Welded seams (PVC) Flush mount non-return valves
- High tensile chromated &
   powder coated aluminum hull
- Self-draining deck
- Seit-araining deck
   Integrated rear seat with cushion
   Integrated transom supports
   Lifting points and towing eyes
   Brushed foam teak finish deck
   Heavy duty rubbing strake

- Keel guard
   Highfield dry bag
   Foot pump & repair kit
   Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder

### **OPTIONAL EXTRAS**

- Boat cover
- Tow post Roll bar
- Bimini


### (OLOVR SCHEMES



OVERALL LENGTH	566cm	18′7′′	
INTERNAL LENGTH	382cm	12′6″	
OVERALL WIDTH	250cm	8′3′′	
INTERNAL WIDTH	135cm	4′5′′	
DEADRISE	24°		
TUBE DIAMETER*	52cm	20′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1188kg 2619lbs		
MAXIMUM PEOPLE	1:	2	
BOAT WEIGHT**	581kg	1280lbs	
MAXIMUM POWER	115hp		
ENGINE SHAFT	XL		
FUEL TANK	1051		
DESIGN CATEGORY	C		









- STANDARD FEATURES

   ORCA® Hypalon or PVC tube

   Welded seams (PVC)

   Flush mount non-return valves

   High tensile chromated & powder coated aluminum hull

   Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
  Lifting points and towing eyes
  Brushed foam teak finish deck
  Heavy duty rubbing strake

- Heavy duty rubbing strake
   Keel guard
   Highfield dry bag
   Foot pump & repair kit
   Electrical pack for boat & console
   Carbon dash for console
   Platform with ladder
   Sundeck
   Pall bar

- Roll bar
- Shower kit

### **OPTIONAL EXTRAS**

### (OLOUR SCHEMES



OVERALL LENGTH	616cm	20′3′′	
INTERNAL LENGTH	437cm	14'4"	
OVERALL WIDTH	249cm	8′2′′	
INTERNAL WIDTH	132cm	4'4''	
DEADRISE	26°		
TUBE DIAMETER*	56cm	22′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1458kg	3214lbs	
MAXIMUM PEOPLE	14		
BOAT WEIGHT**	694kg	1530kg	
MAXIMUM POWER	150hp		
ENGINE SHAFT	XL		
FUEL TANK	1401		
DESIGN CATEGORY	(		







- Shower kit

**OPTIONAL EXTRAS** 

### (OLOVR SCHEMES




OVERALL LENGTH	651cm	21′4′′	
INTERNAL LENGTH	475cm	15′7″	
OVERALL WIDTH	259cm	8′6′′	
INTERNAL WIDTH	135cm	4′5′′	
DEADRISE	26°		
TUBE DIAMETER	58cm	23′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1287kg	2837lbs	
MAXIMUM PEOPLE	13		
BOAT WEIGHT*	740kg	1631lbs	
MAXIMUM POWER	200hp		
ENGINE SHAFT	XL		
FUEL TANK	1401		
DESIGN CATEGORY	(		

\* boat, console, roll-bar & standard seating only









- ORCA® Hypalon or PVC tube
  Welded seams (PVC)
  Flush mount non-return valves
  High tensile chromated &
  powder coated aluminum hull
  Self-draining deck

- Integrated rear seat with cushion
   Integrated transom supports
   Lifting points and towing eyes
   Brushed foam teak finish deck
   Heavy duty rubbing strake

- Neel guard
   Keel guard
   Highfield dry bag
   Foot pump & repair kit
   Electrical pack for boat & console
   Carbon dash for console
- Platform with ladder
- Roll bar
- Shower kit

### **OPTIONAL EXTRAS**

- Bimini

### (OLOVR SCHEMES




OVERALL LENGTH	719cm	23′7′′
INTERNAL LENGTH	538cm	17′8″
OVERALL WIDTH	293cm	9′7′′
INTERNAL WIDTH	170cm	5′7′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1503kg	3312lbs
MAXIMUM PEOPLE	14	
BOAT WEIGHT**	1023kg	2255lbs
MAXIMUM POWER	250hp	
ENGINE SHAFT	XL	
FUEL TANK	2851	
DESIGN CATEGORY	С	

\* boat, console, standard seating, platform & shower kit only



**SPORT 760**,





- STANDARD FEATURES

   ORCA® Hypalon or PVC tube

   Welded seams (PVC)

   Flush mount non-return valves

   High tensile chromated & powder coated aluminum hull

   Self-draining deck
- Integrated rear seat with cushion

- Integrated transom supports
  Lifting points and towing eyes
  Brushed foam teak finish deck
  Heavy duty rubbing strake

- Heavy duty rubbing strake
  Keel guard
  Highfield dry bag
  Foot pump & repair kit
  Electrical pack for boat & console
  Carbon dash for console
  Platform with ladder
  Sundeck

- Roll bar
- Shower kit Fridge Table

### **OPTIONAL EXTRAS**

- Bimini


### (OLOVR SCHEMES



OVERALL LENGTH	760cm	25′
INTERNAL LENGTH	590cm	19′4″
OVERALL WIDTH	288cm	9′6′′
INTERNAL WIDTH	170cm	5′7′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1753kg 3865lk	
MAXIMUM PEOPLE	16	
BOAT WEIGHT**	980kg	2161lbs
MAXIMUM POWER	300hp	
ENGINE SHAFT	XL	
FUEL TANK	2851	
DESIGN CATEGORY	C or B	















OVERALL LENGTH	912cm	29′11″
INTERNAL LENGTH	699cm	22′11″
OVERALL WIDTH	310cm	10′2′′
INTERNAL WIDTH	184cm	6′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	2430kg 5357lk	
MAXIMUM PEOPLE	19	
BOAT WEIGHT*	1820kg	4011lbs
MAXIMUM POWER	2 x 300hp	
ENGINE SHAFT	XL	
FUEL TANK	430l	
DESIGN CATEGORY	С	

### STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
  - Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Integrated transom supports
   Lifting points and towing eyes
   Brushed foam teak finish deck
   Heavy duty rubbing strake
   Keel guard
   Highfield dry bag
   Foot pump & repair kit

- Electrical pack for boat & console Carbon dash for console
- Platform with ladder
- Sundeck
- Shower kit
- Fridge Table
- AL Console Top

### **OPTIONAL EXTRAS**

- Stern bimini FRP top
- Roll bar
- Tow post







### THE

atrol range of commercial quality RIBs are designed to work both excellently as a long distance family cruiser or a hardcore work boat. Built to withstand the toughest of conditions.

The hull is built from 5083 aluminium plates with 6 and 10mm stringers. With their super deep V, wide chines and large diameter tube, they offer high manoeuvrability, high safety and a soft dry ride even in the roughest conditions.


The range offers something for almost every requirement, from Sailing club support to Police and Rescue applications. The Patrol boats carry large loads and plane quickly and easily with little horse-power. For charter boat and commercial operators, the modular set-up option means that we can build a layout that suits your needs. These boats are ideal pursuit craft or work boats and can be configured with different seating and console options. When safety, toughness & reliability re-

With MCA rating & commercial coding available, the Patrol range is perfect for commercial chartering or working offshore too.

ally matter, the Patrol range should be

your first port of call.

**PATROL** 420 & 460



- STANDARD FEATURES
   ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
  Lifting points and towing eyes
  Tow bridle points

- Anti-slip deck
- Heavy duty rubbing strake

- Keel guardHighfield dry bagFoot pump, oars, repair kit
- Carbon dash
- Electrical pack for console
- Electrical pack for boat

### **OPTIONAL EXTRAS**

- Console & seat options

- Console & seal opilons Rear tow post Roll Bar Transom ladder Brushed foam teak finish deck
- Bow cushion


### (OLOVR SCHEMES



	PA420		PA460	
OVERALL LENGTH	421cm	13′10″	459cm	15′1″
INTERNAL LENGTH	317cm	10′5″	353cm	11′7″
OVERALL WIDTH	210cm	6′11″	211cm	6′11″
INTERNAL WIDTH	105cm	3′5″	105cm	3′5″
DEADRISE	20°		20°	
TUBE DIAMETER	47cm	19"	47cm	19"
NUMBER OF AIR CHAMBERS	4		5	
MAXIMUM LOAD	823kg	1814lbs	944kg	2081lbs
MAXIMUM PEOPLE	8		ç	?
BOAT WEIGHT*	252kg	556lbs	286kg	631lbs
MAXIMUM POWER	60hp		80	hp
ENGINE SHAFT	L		I	
FUEL TANK (LITRES)	401		401	







### STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank (40L)
- Lifting points and towing eyes
   Tow bridle points
   Anti-slip deck
   Heavy duty rubbing strake

- Keel guard Highfield dry bag
- Foot pump, oars, repair kitCarbon dash
- Bow cushion
- Electrical pack for consoleElectrical pack for boat

### **OPTIONAL EXTRAS**

- Console & seat options
- Rollbar Rear tow post
- Transom ladder
- Brushed foam teak finish deck
- Dive rack

### (OLOUR SCHEMES




OVERALL LENGTH	500cm	16′5′′
INTERNAL LENGTH	416cm	13′8′′
OVERALL WIDTH	228cm	7′6′′
INTERNAL WIDTH	120cm	3′11′′
DEADRISE	24°	
TUBE DIAMETER	52cm	20′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1051kg 2317ll	
MAXIMUM PEOPLE	10	
BOAT WEIGHT*	441kg	972lbs
MAXIMUM POWER	100hp	
ENGINE SHAFT	XL	
FUEL TANK	901	
DESIGN CATEGORY	С	

\* boat, console, standard seating & roll-bar only









- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
  - Integrated transom supports

- Self-draining deck
   Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console
- Electrical pack for boat

### **OPTIONAL EXTRAS**

- Console & seat options Rollbar T-Top Dive rack
- Transom ladder
- Brushed foam teak finish deck

### (OLOVR SCHEMES




OVERALL LENGTH	540cm	17′9′′
INTERNAL LENGTH	430cm	14′1′′
OVERALL WIDTH	248cm	8′2′′
INTERNAL WIDTH	133cm	4'4''
DEADRISE	24°	
TUBE DIAMETER	52cm	20′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1262kg	2782lbs
MAXIMUM PEOPLE	12	
BOAT WEIGHT*	494kg	1089lbs
MAXIMUM POWER	115hp	
ENGINE SHAFT	XL	
FUEL TANK	1051	
DESIGN CATEGORY	С	

\* boat, console, standard seating & roll-bar only







### STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
- Lifting points and towing eyes
   Tow bridle points
   Anti-slip deck
   Heavy duty rubbing strake

- Keel guard
- Highfield dry bag Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console
- Electrical pack for boat

### **OPTIONAL EXTRAS**

- Console & seat options Rollbar T-Top Dive rack
- Transom ladder Roll bar with ladder
- Brushed foam teak finish deck


### (OLOVR SCHEMES



OVERALL LENGTH	616cm	20′3′′
INTERNAL LENGTH	437cm	14'4"
OVERALL WIDTH	249cm	8′2′′
INTERNAL WIDTH	132cm	4'4''
DEADRISE	26°	
TUBE DIAMETER*	56cm	22''
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1458kg 3214ll	
MAXIMUM PEOPLE	14	
BOAT WEIGHT**	694kg	1530lbs
MAXIMUM POWER	150hp	
ENGINE SHAFT	XL	
FUEL TANK	1401	
DESIGN CATEGORY	С	









- STANDARD FEATURES - ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull

- Integrated transom supports
   Self-draining deck
   Integrated under-deck fuel tank
   Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strakeKeel guardHighfield dry bag

- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for consoleElectrical pack for boat

### **OPTIONAL EXTRAS**


- Console & seat options Rollbar T-Top Dive rack
- Transom ladder Roll bar with ladder
- Brushed foam teak finish deck

### COLOUR SCHEMES



OVERALL LENGTH	651cm	21′4′′
INTERNAL LENGTH	475cm	15′7″
OVERALL WIDTH	259cm	8′6′′
INTERNAL WIDTH	135cm	4′5′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1287kg 2837lk	
MAXIMUM PEOPLE	13	
BOAT WEIGHT*	740kg	1631lbs
	740kg	1031108
MAXIMUM POWER	740kg 200	
MAXIMUM POWER ENGINE SHAFT		)hp
	200	)hp L
ENGINE SHAFT	200 X	Ohp L













OVERALL LENGTH	719cm	23′7′′
INTERNAL LENGTH	538cm	17′8″
OVERALL WIDTH	293cm	9′7′′
INTERNAL WIDTH	169cm	5′7′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1503kg 3312ll	
MAXIMUM PEOPLE	14	
BOAT WEIGHT**	1023kg	2255lbs
MAXIMUM POWER	250hp	
ENGINE SHAFT	XL	
FUEL TANK	2851	
DESIGN CATEGORY	С	

STANDARD FEATURES
- ORCA® Hypalon or PVC tube
Welded seams (PVC)

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
   Integrated transom supports
   Self-draining deck

- Integrated under-deck fuel tank
- Lifting points and towing eyes
   Tow bridle points
   Anti-slip deck
   Heavy duty rubbing strake

- Keel guard Highfield dry bag
- Foot pump, oars, repair kitCarbon dash

- Bow cushion
   Electrical pack for console
   Electrical pack for boat

### **OPTIONAL EXTRAS**

- Console & seat options Rollbar T-Top Dive rack
- Roll bar with ladder Transom ladder
- Brushed foam teak finish deck







- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valvesHigh tensile chromated & powder coated aluminum hull

- Integrated transom supports
   Self-draining deck
   Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console Electrical pack for boat

### **OPTIONAL EXTRAS**

- Console & seat options Rollbar Dive rack T-Top / XL T-Top

- Brushed foam teak finish deck
- Roll bar with ladder Transom ladder



OVERALL LENGTH	760cm	25′
INTERNAL LENGTH	590cm	19′4″
OVERALL WIDTH	288cm	9′6′′
INTERNAL WIDTH	169cm	5′7′′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	1753kg	3865lbs
MAXIMUM PEOPLE	16	
BOAT WEIGHT*	980kg	2161lbs
MAXIMUM POWER	300hp	
ENGINE SHAFT	XL	
FUEL TANK	2851	
DESIGN CATEGORY	C or B	

\* boat, console, standard seating, & roll-bar kit only









### **STANDARD FEATURES**

- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Integrated under-deck fuel tank
- Lifting points and towing eyes
   Tow bridle points
   Anti-slip deck

- Heavy duty rubbing strake
- Keel guard Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Bow cushion
- Electrical pack for console
- Electrical pack for boat

### **OPTIONAL EXTRAS**

- Console & seat options
- Rollbar Roll bar with ladder T-Top / XL T-Top
- Brushed foam teak finish deck
- Dive rack

### COLOUR SCHEMES



OVERALL LENGTH	860cm	28′3″
INTERNAL LENGTH	631cm	20′8″
OVERALL WIDTH	310cm	10'2'
INTERNAL WIDTH	184cm	6′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	2106kg	4643lbs
MAXIMUM PEOPLE	20	
BOAT WEIGHT*	1392kg	3069lbs
MAXIMUM POWER	2 x 300hp	
ENGINE SHAFT	XL / UL	
FUEL TANK	430l	
DESIGN CATEGORY	C or B	

\* boat, console, standard seating, & roll-bar kit only













### CLASSIC

(1260 & (1290









(1310 & (1340







(1360 & (1380



(1340-380 GT (ONSOLE










(1340-380 FCT (ONSOLE











### PA420 & PA460







































SP300-360





















SP520

































































